
MODEL C30 Capacity and Dimensions



C30 ROTATING SHAFT MOUNTING



LOCKING SCREW

Fifteen standard shaft diameters. See table below. W1 unit shown here. W2 unit is applied at the opposite end of roll. W1 unit clamps the shaft while W2 unit allows for temperature expansion of the shaft.

	bom units have sen-angning reature.														
SHAFT DIAMETER (in)															
INCHES	.500	.563	.625	.688	.750	.875	.938	1.00	1.063	1.125	1.188	1.250	1.313	1.375	1.438
CODE	08	09	10	11	12	14	15	16	17	18	19	20	21	22	23
RH	1.31					1.38			1.53			1.69			
RT	3.88								4.03			4.13			

Both units have self-aligning feature

*Tensioncells in this range supplied for shaft sizes up to maximum 3/4" diameter unless approved by factory. **Comptrol wall mount Tensioncells are mounted with a 5/8-11 UNC-2B bolt at the roll centerline and a locking screw through the locating tab which maintains rotational position of the Tensioncell.



The information contained in this document is subject to change without notice. Comptrol has made effort to ensure the accuracy and completeness of the descriptions and procedures discussed in this document. Failure to comply with these procedures may result in personal injury, or damage to the Comptrol product or the equipment used in conjunction with it.

Comptrol assumes no liability for incidental or consequential personal or equipment damages arising from the use of this document, the software and hardware described, or failure to comply with the procedures contained in this document. Note that protective covers or guarding may not be shown in some illustrations to provide a clearer view of specific components or assemblies. All protective covers and guarding must be installed before operating the unit. Reproduction, copying, or the disclosure to any third party for any unauthorized purpose of the contents or software contained or described in this document is prohibited with written authorization form Comptrol. Violators will be prosecuted.



37400 Lakeland Blvd. Eastlake, OH 44095 Phone: (216) 587-5200 Email: info@comptrolinc.com www.comptrolinc.com